Notice of Allowability	Application No.	Applicant(s)		
	09/674,031	AKIYAMA ET AI	AKIYAMA ET AL.	
	Examiner	Art Unit		
	Patricia L. Nordmeyer	1772		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.				
1. This communication is responsive to 6/24/04.				
2. The allowed claim(s) is/are <u>1-6</u> .				
3. The drawings filed on 25 October 2000 are accepted by the Examiner.				
 4. Acknowledgment is made of a claim for foreign priority un a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents 	been received. been received in Application	No	ation from the	
International Bureau (PCT Rule 17.2(a)). * Certified copies not received:				
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Achment(s) Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date Examiner's Comment Regarding Requirement for Deposit of Biological Material 5. Notice of Informal Patent Application (PTO-152) 6. Interview Summary (PTO-413), Paper No./Mail Date 7. Examiner's Amendment/Comment 8. Examiner's Statement of Reasons for Allowance 9. Other				

Application/Control Number: 09/674,031

Art Unit: 1772

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

The closest prior art of record fails to teach or suggest the recited synthetic resin container or wall of a synthetic resin container. All of the independent claims identify the uniquely distinct features of a container or container wall that include "a thick portion formed on an inner surface of the body which is adjacent to and under the edges of the label". The closest prior art of record, Alexander (USPN 1,554,191) and Giblin et al. (USPN 6,223,945), disclose conventional containers with labels and rib structures, which either singularly or in combination, fail to anticipate or render obvious the above limitations.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patricia L. Nordmeyer whose telephone number is (571) 272-1496. The examiner can normally be reached on Mon.-Thurs. from 7:00-4:30 & alternate Fridays.

Art Unit: 1772

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Harold Y. Pyon can be reached on (571) 272-1498. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Patricia L. Nordmeyer Examiner Art Unit 1772

plu

SUPERVISORY PATENT EXAMINER